

TECHNICAL SPECIFICATIONS AND OTHER ALLIED REQUIREMENTS

SI	Item	Specification	Qty
1	Industrial AC	Industrial grade air conditioning machine Specifications 2TR split type cooling unit Sensible heat ratio above 0.9 550CFM per TR Metallic indoor unit body EC Fan high efficiency step less speed modulation fan with EC motor Scroll compressor and anti corrosive condenser coil G4 Filter	2 Nos.

1. INSTALLATION, COMMISSIONING AND TRAINING

- 1.1. Vendor should complete Installation , commissioning and delivery within 30 days from the date of Purchase Order.The Installation should be carried out only by expert engineers of supplier/Manufacturer at Free of Cost basis. During the course of Installation, necessary training on operation and maintenance of the goods shall be imparted to relevant Scientist/Engineers/Technicians.

2. WARRANTY

- 2.1. Comprehensive on-site warranty for a period of one year for Machine and 5 years for compressor must be provided to be effective from the date of successful Installation, Commissioning and Training and final acceptance of the items/equipment at the User's laboratory/Institute.

3. Bid Security Declaration

- 1.1. Vendor should provide Bid Securing Declaration Form as per Annexure – 5F provided in the Tender Document.

4. Manufacturer Authorisation certificate

- 1.1 Vendor should provide Manufacturer Authorisation Certificate from OEM's.